


Newborn Early Warning Trigger and Track (NEWTT)

At Risk Infants – Please tick box as appropriate. Record reason for observation, frequency and duration overleaf .

Sepsis



PROM > 18hours Preterm

PROM > 24 hours Term

Maternal Temperature > 38°C

Chorioamnionitis

Maternal GBS in vaginal swab/ or MSU

Confirmed invasive GBS sepsis in previous baby

Intrapartum

Meconium Stained Liquor (requiring intervention)

Cord arterial pH ≤ 7.1

Base Excess ≥ - 12mmol/l

APGAR ≤ 7 at 5 minutes

Other – Specify reason
.....

Metabolic : Blood Sugar Monitoring

Maternal Diabetes

Maternal β Blockers

Birthweight <2nd centile

Other – Specify reason
.....

Other

IPPV > 5 minutes

Maternal pethidine < 6 hours before delivery

< 37 weeks gestation

Other – Specify reason

Weight on 2nd centile in Kg.

GA	Boys	Girls
35	1.65	1.60
36	1.90	1.80
37	2.10	2.00
38	2.30	2.20
39	2.50	2.45
40	2.65	2.60
41	2.8	2.75
42	2.9	2.85

- Infants that need immediate review by Doctor /ANNP**
- Jaundice < 24 hours**
 - Bilious Vomiting**
 - Abnormal Movements**
 - Hypoglycaemia**
 - Apnoea**

These criteria are a guide only to increase surveillance on infants of potential concern. It can be expanded upon to meet local requirements and guidelines.